

MULTIMEDIA



UNIVERSITY

STUDENT ID NO

--	--	--	--	--	--	--	--	--	--

MULTIMEDIA UNIVERSITY

SUPPLEMENTARY EXAMINATION

TRIMESTER 1, 2015/2016

TIF 2721/TSE 2351 – INTRODUCTION TO FORMAL METHODS

(All sections / Groups)

18 NOV 2015
2.30 PM – 4.30 PM
(2 HOURS)

INSTRUCTIONS TO STUDENTS

1. This Question paper consists of 5 pages with 5 Questions only, excluding the cover page.
 2. Attempt **FOUR** out of **FIVE** questions. All questions carry equal marks and the distribution of the marks for each question is given.
 3. Please print all your answers in the Answer Booklet provided.
-

Question 1 (4 + 2 + 4 marks)


a. List all the elements of the following:

- i. $\mathbb{P} \{2, 4\}$
- ii. $\mathbb{P} \mathbb{P} \emptyset$
- iii. $\{1\} \times \{2, 3\}$
- iv. $\{n: \mathbb{Z} \mid n > 0 \wedge n < 10 \wedge n \bmod 2 = 0\}$

b. “Existing applications of formal methods include: the use of probability theory in performance modeling; the use of context-free grammars in compiler design; the use of the relational calculus in database theory.”

What are the advantages of the application of mathematics in formal specification?

c. Examine the relation *driver_assignment* below:



- i. What are the ordered pairs of the relation?
- ii. What is the range of the relation?
- iii. What is $driver_assignment^{-1}(\{MAS\ 888\})$?
- iv. Is the relation a function? Explain.

Continued

Question 2 (4 + 2 + 4 marks)

- a. You are given two Z schemas A and B as defined below. Construct $A \wedge B$. Show all the necessary steps.

$$A \triangleq \left[\begin{array}{l} c, d : \mathbb{N} \\ E : \mathbb{P} \mathbb{Z} \\ | \\ c < d \end{array} \right]$$

$$B \triangleq \left[\begin{array}{l} c, f : \mathbb{Z} \\ S : \mathbb{P} \mathbb{N} \\ | \\ c > f * 13 \end{array} \right]$$

- b. What is schema composition? Why is schema composition useful?
- c. You are given two Z schemas M and P as defined below. Construct $M;P$. Show all the necessary steps.

$$M \triangleq \left[\begin{array}{l} x!, s, s', y! : \mathbb{N} \\ | \\ s' = s - x! ; \\ s = y! \end{array} \right]$$

$$P \triangleq \left[\begin{array}{l} x?, s, s' : \mathbb{N} \\ | \\ s < x? ; \\ s' = 17 - s \end{array} \right]$$

Continued

Question 3 (1 + 3 + 3 + 3 marks)

A tuition center is attempting to design a system that keeps track of the tutors and classes in the center. A *tutor* may teach many classes and a *class* is taught by various tutors.

- a. Define two types: *Person* is the set of all people. *Class* is the set of all classes.
- b. Specify a state schema for the system called *Tuition*. The state schema must include the following state information:
 - The set of all classes in the tuition center (*allClasses*)
 - The set of all registered tutors in the tuition center (*allTutors*)
 - The relation called *assign*, which models the relation between tutors and classes they teach

Include two appropriate state invariants for the state schema.

- c. Specify (using Z notation) an operation called *Assignment* that adds a registered tutor to a class.
- d. Specify (using Z notation) an operation called *SearchTutor*, which given a class name (*cls?*), displays the set of tutors for the class (*tutors!*).

Continued

Question 4 (4 + 3 + 3 marks)

- a. The following table shows the number of students categorized by their ethnicity in a school.

Ethnic	Number of students
Malay	72
Chinese	69
Indian	65
Others	29

The table above can be represented (in Z notation) using a bag. Specify a function (in Z notation) that returns the total number of students in the school.

- b. Three sequences, X , Y and Z are defined as follows:

$$\begin{aligned} X &= \langle 9, 7, 5, 3, 1 \rangle \\ Y &= \langle 10, 20, 30 \rangle \\ Z &= \langle 34, 76, 90, 45 \rangle \end{aligned}$$

Find the following:

- i. $\text{head}(X) \hat{\ } \text{tail}(Y)$
 - ii. $\text{dom}(Z \hat{\ } X)$
 - iii. $\text{rev}(Y \hat{\ } Z)$
- c. What is data reification? Describe the importance of data reification in formal specification.

Continued

Question 5 (3 + 4 + 3 marks)

a. Determine if the following Hoare triples are true or false. Substantiate your answer.

i. $\{n \geq 0\} \wedge (n^2 > 28) \{m := n + 1; m := m * m \{m \neq 36\}$

ii. $\{x = y\} \text{ if } (x = 0) \text{ then } x := y + 1 \text{ else } z := y + 1 \{(x = y + 1) \vee (z = x + 1)\}$

iii. $\{true\} x := y + 1 \{z = 1\}$

b. One of the processes in developing and using formal specification is to carefully divide specifications among broad classes, such as functionality, operations, behavior and interface.

Give a short description on the four classes: functionality, operations, behavior and interface.

c. “Formal specifications serve only to clearly state system requirements.”

i. Describe why software developers must maintain high-level abstraction.

(2 marks)

ii. List four aspects which should not be included in formal specification to maintain high-level abstraction.

(1 mark)

End of Page